

DECOR LIGHTING

DOTS



Technical data

<i>Nominal voltage:</i>	230V/ 50-60Hz
<i>Lamp holder:</i>	E27
<i>Colour body:</i>	White with colored dots
<i>Material:</i>	Metal

Features

- Resistant to shock and vibration stable body
- Attractive design
- Environmentally Friendly – does not emit Mercury and Lead (by RoHS Directive)
- No ultraviolet and infrared rays
- Low heat emission

Area of application

- General illumination
- Domestic application
- Trade facilities
- Shops
- Art galleries
- Desk lamp

Variants and Dimensions

Description	Lamp holder	Colour body	Size (mm)			Catalogue number
			Width/ Diameter	Length	Height	
Pendant	1xE27	White with colored dots	130	-	1225	955DOTS1P
Chandelier	3xE27	White with colored dots	260	-	1225	955DOTS3P
Spot	1xE27	White with colored dots	110	205	180	955DOTS1S
Spot	2xE27	White with colored dots	185	400	180	955DOTS2S
Spot	3xE27	White with colored dots	185	580	180	955DOTS3S
Table lamp	1xE27	White with colored dots	145	210	335	955DOTS1T

Barcodes

3800131197887	955DOTS1P
3800131197894	955DOTS3P
3800131197924	955DOTS1S
3800131197900	955DOTS2S
3800131197917	955DOTS3S
3800131197931	955DOTS1T

Energy efficiency

E
ELMARK
lighting

955DOTS1S

This luminaire is compatible with bulbs of the energy classes:

A++
A+
A
B
C
D
E

874/2012

Standards

• EN 55015 • EN 60598-1 • EN 60598-2-1 • EN 61547 •

